**Application No.:** 10/750,191 **Office Action Dated:** April 1, 2009

## REMARKS

Claims 1-7, 11-24, and 28-31 remain pending in the present application as amended. Independent claims 1 and 18 have been amended to include additional subject matter, including subject matter formerly recited in claims 4 and 21. Thus claims 4 and 21 have also been amended. No claims have been added or canceled by the present Amendment. Applicants respectfully submit that no new matter has been added to the application by the Amendment. In particular, the newly recited language in claims 1 and 18 regarding the endpoint and queue may be found in the application as published at least in connection with claim 4 and paragraphs [0017] and [0030]-[0034].

## **Telephone Conversation With Examiner**

Examiner Burgess is thanked for the telephone conversation conducted on July 2, 2009. Proposed claim amendments were discussed. Cited art was discussed. Alternative amendments to further advance prosecution were discussed. No agreements were reached.

## Claim Rejections

The Examiner has again rejected the claims under 35 USC § 103 as being obvious over Elza et al. (U.S. Patent Pub. No. 2004/0230903) in view of Lindsey (U.S. Patent Pub. No. 2004/0121789). Applicants respectfully traverse the Section 103 rejection insofar as it may be applied to the claims as amended. In particular, Applicants respectfully submit that the Elza and Lindsey references both fail to disclose or even suggest a common server engine determining an endpoint from a message and storing retrieved electronic communications in a queue corresponding to the determined endpoint, where the determined endpoint accesses the queue and pulls the stored electronic communications therefrom, in the manner recited in independent claims 1 and 18 as amended.

PATENT

**DOCKET NO.:** MSFT-2833/305223.01

**Application No.:** 10/750,191 **Office Action Dated:** April 1, 2009

Independent claim 1 recites a system for transporting agnostic pull mode messaging that requires a plurality of first clients of a particular user. As may be understood, each first client may differ from other first clients. For example, one first client of the user may be a desktop computer messaging service that communicates according to a first type of [first] communication protocol, while another first client of the user may be a handheld messaging service that communicates according to a second type of [first] communication protocol, while yet another first client of the user may be a mobile-phone based messaging service that communicates according to a third type of [first] communication protocol. Thus, if each client of the user were to communicate directly with a server engine to effectuate messaging, the server engine would be required to be capable of communicating in each of the first, second, and third types of the first communication protocol. Of course, providing the server engine with such functionality becomes cumbersome and unwieldy, especially as the number of types of the first communication protocol that the server engine must handle grows.

Accordingly, and as recited in claim 1, each first client of the user has a corresponding first adapter with which the first client communicates according to the corresponding first communication protocol, and all of the adapters communicate with the server engine by way of a common second communication protocol. The corresponding first adapter for each first client receives the corresponding first message and sends the response to the corresponding first client using the corresponding first communication protocol indicating that the corresponding first message was received, generates a corresponding second message based on the corresponding first message, and sends the corresponding second message to the common server engine using the common second communication protocol. The common server engine receives each second message and executes at least one instruction based on the received second message.

As recited in claim 1, the at least one executed instruction retrieves from a storage device electronic communications to the user, such as for example e-mail, voice mail, an instant message, etc., and sends the retrieved electronic communications to an endpoint comprising another first client of the user different from the first client of the user. In particular, the

**Application No.:** 10/750,191 **Office Action Dated:** April 1, 2009

endpoint is identified by the user in the first message by way of an identifier of the endpoint, and the common server engine determines the endpoint from the identifier thereof from the second message and stores the retrieved electronic communications in a queue corresponding to the determined endpoint. Thus, the determined endpoint accesses the queue and pulls the stored electronic communications therefrom.

Accordingly, if each first client accesses the common server engine to access email, for example, one first client of the user, such as a desktop application, for example, may send an instruction to the common server engine to direct same to deliver email to another first client of the user, such as for example a mobile device of the user. In effect, then, a user at one first client can direct the common server engine to deliver email to another first client of the user even if the user is not at such another first client.

Independent claim 18 as amended recites subject matter similar to that of claim 1, albeit in the form of a method.

The Elza and Lindsey references each show multiple clients accessing a server / server engine, as is best seen in Figs. 3 and 2, respectively. However, neither reference discloses or even suggests that a common server engine executes instructions based on a received second message to retrieve from a storage device electronic communications to the user, such as for example e-mail, voice mail, an instant message, etc., and to send the retrieved electronic communications to an endpoint comprising another first client of the user different from the first client of the user, where the endpoint is identified by the user in the first message by way of an identifier of the endpoint, as is now recited in claims 1 and 18. Likewise, neither reference discloses or even suggests that the common server engine determines the endpoint from the identifier thereof from the second message and stores the retrieved electronic communications in a queue corresponding to the determined endpoint, where the determined endpoint accesses the queue and pulls the stored electronic communications therefrom, as is also now recited in claims 1 and 18.

**Application No.:** 10/750,191 **Office Action Dated:** April 1, 2009

Accordingly, Applicants respectfully submit that the combination of the Elza and Lindsey references does not disclose or even suggest all of the subject matter now recited in claims 1 and 18 as amended. Accordingly, Applicants respectfully submit that the Elza and Lindsey references cannot be employed to make obvious such claims 1 and 18 as amended or any claims depending therefrom, including claims 2-7, 11-17, 19-24, and 28-31. As a result, Applicants respectfully request reconsideration and withdrawal of the Section 103 rejection.

**Application No.:** 10/750,191 **Office Action Dated:** April 1, 2009

## CONCLUSION

In view of the foregoing Amendment and Remarks, Applicants respectfully submit that the present application including claims 1-7, 11-24, and 28-31 is in condition for allowance and such action is respectfully requested.

Date: September 1, 2009 /Joseph F. Oriti/ Joseph F. Oriti

Registration No. 47,835

Woodcock Washburn LLP Cira Centre 2929 Arch Street, 12th Floor Philadelphia, PA 19104-2891 Telephone: (215) 568-3100

Telephone: (215) 568-3100 Facsimile: (215) 568-3439